

SAFETY DATA SHEET

According to Regulation's (EC) No's 1907/2006 (REACH) Article 31 and Annex II including latest Amendments

Aerosol mixture: Adhesive
POLYNOR Fixo



Date of issue: 09 June 2022

Version No.: 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Trade name: Adhesive "POLYNOR"

Type: One-component Polyurethane adhesive (aerosol mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Use(-s):

INSOLA adhesive is one-component adhesive and has an excellent adhesion to most building materials: wood, concrete, stone, plastic, metal, etc. It is used for higher strength constructions and can be used as both inelastic and permanently elastic adhesives.

Uses advised against:

Any use other than the recommended use.

1.3 Details of the supplier of the Safety Data Sheet:

JSC "INSOLA"

Lauko str. 23, Šventininkų village, Trakų district, LT-21156,
Lithuania

Ph./fax: +370 67488421

E-mail: info@insola.lt

Website: www.insola.lt

E-mail of the responsible person on the safety data sheet: saugosduomenulapai@gmail.com

1.4 Emergency Telephone Number: In case of emergency contact your local healthcare provider (poison centre). Below is a list of nationally appointed bodies and their contact details for direct inquiries in relation to the submission of information for the purpose of emergency health response.

Full list contacts of National Appointed Bodies (and/or Poison Centre's) across the EU please see:

<https://poisoncentres.echa.europa.eu/appointed-bodies>

Austria	Poisons Information Centre	+43 1 406 43 43
Belgium	Centre Antipoisons	+32022649636
Bulgaria	Temporary body - Ministry of Health	+359 2 9301214
Croatia	Croatian Institute of Public Health, Division for Toxicology	+38514686910
Cyprus	Ministry of Labour, Welfare and Social Insurance, Department of Labour Inspection	+35722405611
Czech Republic	Ministry of Health of the Czech Republic Chemical Substances and Biocidal Products Unit	+420267082257
Denmark	Danish Environmental Protection Agency	+45 72 54 40 00
Estonia	Health Board	+372 794 3500
Finland	Finnish Safety and Chemicals Agency (Tukes)	+358 5052 000
France	French National Products and Composition Database (B.N.P.C.); French Poison and toxicovigilance Centre Network	+ 33 3 83 85 21 92
Germany	German Federal Institute for Risk Assessment	+49-30-18412-0
Greece	Hellenic Republic Independent Authority for Public Revenue D.G. of the General Chemical State Laboratory Directorate of Energy, Industrial and Chemical Products	+302106479250
Hungary	National Public Health Center	+36 (1) 476 1135
Iceland	Poisons Information Center - Icelandic University Hospital	+354 543 22 22
Ireland	National Poisons Information Centre	not provided
Italy	Istituto Superiore di Sanità (ISS)	not provided

SAFETY DATA SHEET

According to Regulation's (EC) No's 1907/2006 (REACH) Article 31 and Annex II including latest Amendments

**Aerosol mixture: Adhesive
POLYNOR Fixo**



Date of issue: 09 June 2022

Version No.: 1

Latvia	State Ltd "Latvian Environment, Geology and Meteorology Centre"	+371 67032600
Liechtenstein –	Not provided	not provided
Luxembourg	Centre Antipoisons (BE) on behalf of Ministère-Direction de la Santé	+320 22649636
Malta	Malta Competition and Consumer Affairs Authority (MCCAA)	+356 2395 2000
Netherlands	National Poisons Information Center	+31 88 75 585 61
Norway	Norwegian Poison Information Centre	+47 21 07 70 00
Poland	Bureau for Chemical Substances	+48 42 2538 400
Portugal	Centro de informação antivenenos	+351213303271
Romania	National Institute for Public Health, Ministry of Health	+40213183606
Slovakia	National Toxicological Information Centre	+421 2 5465 2307
Slovenia	Centre for Clinical Pharmacology and Toxicology, Division of Internal Medicine, University Medical Centre Ljubljana	+ 386 1 522 1293
Spain	Instituto Nacional de Toxicología y Ciencias Forenses (INTCF)	+34 917689800
Sweden	Swedish Poisons Information Centre	+46104566750

For more precise information about National Poison Centres please contact with your National Helpdesk. The list of helpdesks across the EU please sees: <https://echa.europa.eu/support/helpdesks>

SECTION 2: Hazards identification

Products is classified as hazardous according to Regulation (EC) No 1272/2008 and its amendments and / or contain dangerous ingredients above the generic or specific concentration limits, thus Safety Data Sheet, in accordance with Annex II and Article 31 of Regulation EC 1907/2006 (including latest consolidated version and amendments) have been provided.

2.1 Classification according to Regulation (EC) No 1272/2008 (CLP):

Hazard class	Hazard category	Hazard statement
Aerosols	1	H222, H229
Skin Irritant	2	H315
Skin Sensitizing	1	H317
Eye Irritant	2	H319
Respiratory sensitisation	1	H334
STOT SE	3	H335
Carcinogenicity	2	H351
Repro. Tox.	effects on or via lactation	H362
STOT RE	2	H373
Aquatic Acute	1	H400
Aquatic Chronic	1	H410

2.2 Label elements according to Regulation (EC) No 1272/2008 [CLP]:

Hazard pictogram (s):



GHS02

GHS07

GHS08

GHS09

Signal word:

Danger

Hazard statement (s):

H222 Extremely flammable aerosol
H229 Pressurised container: May burst if heated
H315 Causes skin irritation
H317 May cause an allergic skin reaction

SAFETY DATA SHEET

According to Regulation's (EC) No's 1907/2006 (REACH) Article 31 and Annex II including latest Amendments

Aerosol mixture: Adhesive
POLYNOR Fixo



Date of issue: 09 June 2022

Version No.: 1

H319 Causes serious eye irritation
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335 May cause respiratory irritation
H351 Suspected of causing cancer
H362 May cause harm to breast-fed children
H373 May cause damage to organs through prolonged or repeated exposure
H410 Very toxic to aquatic life with long lasting effects

Precautionary statements:

General	P102 Keep out of reach of children. P103 Read label before use.
Prevention	P201 Obtain special instructions before use. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P260 Do not breathe mist/vapours/ spray. P263 Avoid contact during pregnancy and while nursing. P264 Wash hands thoroughly after handling. P271 Use only outdoors or in a well-ventilated area (<i>applicable only for general public</i>). P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection.
Response	P312 Call a POISON CENTRE/doctor if you feel unwell. P302 + P352 IF ON SKIN: Wash with plenty of water (<i>applicable only for general public</i>). P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing (<i>applicable only for general public</i>). P308 + P313 IF exposed or concerned: Get medical advice/attention. P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. P362 + P364 Take off contaminated clothing and wash it before reuse. P391 Collect spillage.
Storage	P403 + P235 + 405 Store in a well-ventilated place. Keep cool. Store locked up (<i>applicable only for general public</i>). P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
Disposal	P501 Dispose of contents/container in accordance with local/national regulations.

Names of the hazardous constituents in the label: Isocyanic acid, polymethylenepolyphenylene ester (P-MDI), Alkanes, C14-17, chloro.

Additional labelling information:

"As from 24 August 2023 adequate training is required before industrial or professional use".

EUH phrase: EUH204 "Contains isocyanates. May produce an allergic reaction".

Child-resistant fastening (CRF): Not applicable.

Tactile warnings of danger (TWDs): Applicable for packaging of whatever capacity supplied to the general public. Not applicable for packaging of whatever capacity supplied to the professional users.

SAFETY DATA SHEET

According to Regulation's (EC) No's 1907/2006 (REACH) Article 31 and Annex II including latest Amendments

**Aerosol mixture: Adhesive
POLYNOR Fixo**



Date of issue: 09 June 2022

Version No.: 1

2.3 Other hazards: none

PBT and vPvB: Constituent of the mixture (Alkanes, C14-17, chloro) fulfils criteria for PBT and vPvB in accordance with Annex XIII of the REACH regulations EC 1907/2006.

ED: Not applicable. Mixture does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1 Substances: Not applicable, product is a mixture.

3.2 Mixture: Constituents of the mixture according Regulation No. 1907/2006 (REACH) and Regulation No. 1272/2008 (CLP) requirements:

Constituents / REACH No.	CAS / EC (Index) Nr.	Classification according Regulation No. 1272/2008 (CLP)	m. d. %
** Isocyanic acid, polymethylenepolyphenylene ester (P-MDI) / -	9016-87-9 / 618-498-9 (-)	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319 Acute Tox. (inhale vapours) 4, H332 Resp. Sens. 1, H334 STOT SE 3, H335 Carc. 2, H351 STOT RE 2, H373	30 - 50
Tris(2-chloro-1-metiletil) phosphate / 01-2119480419-30-xxxx	13674-84-5 / 237-158-7 (-)	Acute Tox. (oral) 4, H302	5 - <10
Isobutane / 01-2119485395-27-xxxx	75-28-5 / 200-857-2 (601-004-00-0)	Flam. Gas 1, H220 Press. Gas (Compressed), H280	3 - <8
*** Alkanes, C14-17, chloro / 01-2119519269-33-xxxx	85535-85-9 / 287-477-0 (602-095-00-X)	Tox. Repro. Lactation, H362 Aquatic Acute 1, H400 (M-10) Aquatic Chronic 1, H410 (M-10)	2,5 - <5
Dimethyl ether / 01-2119472128-37-xxxx	115-10-6 / 204-065-8 (603-019-00-8)	Flam. Gas 1, H220 Press. Gas (Compressed), H280	2,5 - <5
Propane / 01-2119486944-21-xxxx	74-98-6 / 200-827-9 (601-003-00-5)	Flam. Gas 1, H220 Press. Gas (Compressed), H280	1 - <2,5
Butane / 01-2119474691-32-xxxx	106-97-8 / 203-448-7 (601-004-01-8)	Flam. Gas 1, H220 Press. Gas (Compressed), H280	0,1 - <1
2,2'-dimorpholinyl-diethyl ether / 01-2119969278-20-xxxx	6425-39-4 / 229-194-7 (-)	Skin Irrit. 2, H315 Eye Irrit. 2, H319	0,1 - <1

** Annex XVII of REACH (see Section 15)

*** SVHC list (see Section 15)

Full text of hazard (H) statements related to the classification is listed in the Section 16.6

SECTION 4: First aid measures

4.1 Description of first aid measures

General Advice: Consult a physician if any symptoms persist. Call a POISON CENTER or doctor if you feel unwell. Show this safety data sheet or product label to the doctor in attendance. Remove person to fresh air and keep comfortable for breathing.

First Aider Protection: Use personal protective equipment when providing first aid.

Ingestion: Never give anything to an unconscious person. Rinse mouth with water. Get medical

SAFETY DATA SHEET

According to Regulation's (EC) No's 1907/2006 (REACH) Article 31 and Annex II including latest Amendments

Aerosol mixture: Adhesive
POLYNOR Fixo



Date of issue: 09 June 2022

Version No.: 1

advice/attention if exposed or concerned.

Skin contact: Flush skin with plenty of soap and water whilst removing contaminated clothing. Seek medical attention if any skin reaction persists.

Eye contact: Rinse eyes cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if eye irritation persists.

Inhalation: Remove from exposure site to fresh air and keep at rest in a position comfortable for breathing. If breathing has stopped give artificial respiration. Observe for possible delayed reaction. Get medical advice/attention if exposed or concerned.

4.2 Most important symptoms and effects, both acute and delayed

Ingestion: May cause stomach distress, nausea or vomiting, shortness of breath, choke.

Skin contact: Symptoms may include redness, drying, dermatitis, itching, defatting and cracking of the skin, allergy or allergic skin reactions, irritation.

Eye contact: Symptoms may include discomfort or slight pain, excess blinking and tear production, with possible redness and swelling, as well as corneal / retinal slight irritation, reversible damage.

Inhalation: May cause mucous membranes and upper respiratory track irritation, respiratory difficulties, cough, increased drowsiness.

4.3 Indication of any immediate medical attention and special treatment needed.

Apply symptomatic treatment. Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable Extinguishing Media: For small (incipient) fires, use media such as "alcohol foam", dry chemical, or carbon dioxide. For large fires, apply water from as far away as possible. Use very large quantities of water applied as mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

Unsuitable extinguishing media: strong water jet.

5.2 Special hazards arising from the substance or mixture

Product is extremely flammable aerosol. Pressurised container: May burst if heated. During a fire, irritating and toxic gases may be generated by thermal decomposition or combustion. Use appropriate fire-fighting measures with respect to surrounding conditions.

5.3 Advice for fire-fighters

Use water spray to cool unopened containers. Collect contaminated extinguishing water separately; do not allow reaching sewage or effluent systems.

Protective equipment: Wear full protective clothing and self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (EN469 approved or equivalent).

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency measures

6.1.1 For non-emergency personnel

Establish a suitable distance in all directions at leak area. Avoid direct contact with the product, do not inhale. Use personal protective equipment as described in Section 8 and comply with the safety

SAFETY DATA SHEET

According to Regulation's (EC) No's 1907/2006 (REACH) Article 31 and Annex II including latest Amendments

Aerosol mixture: Adhesive
POLYNOR Fixo



Date of issue: 09 June 2022

Version No.: 1

requirements of Section 7. Take off contaminated clothing and wash it before reuse. Rinse skin with water.

6.1.2 For emergency responders

Prevent further leakage or spillage if safe to do so. Ensure adequate ventilation. Use protective equipment, as described in section 8. Remove possible sources of ignition. Overlook on vapours/mist concentration in the air as vapours can accumulate in low areas. Avoid cracks in the equipment and pipes used, overfilling of tanks, any other spillage of the product. In the event there are any victims, bring them out of the area of the accident, render them the first medical aid, and call an ambulance. Only Authorised personnel should enter the leak area, utilising appropriate personal protective equipment.

6.2 Environmental precautions

Prevent spills or contaminated rinse water from entering sewers or watercourses. Do not allow enter to drains, surface water, ground water, drainage systems. If the product release into sewage and / or surface water / groundwater, as well as release in large quantities and / or large areas inform the relevant authorities.

6.3 Methods and material for containment and cleaning up

Pour absorbent material (sand, absorbent) on a small amount of spilled mixture and collect it in a suitable, marked, sealed container and dispose of in accordance with the requirements of legislation (section 13). In the case of large spills dike the spill, if possible, install barriers that prevent from entering to the outflow pipes, watercourses, cellars, and other enclosed spaces. Absorb the chemical then place in a chemical waste container and dispose of according to local regulations. Then wash the contaminated area with water. Collect the resulting cleaning solutions by mechanical / manual or technical / automated instruments. Utilize according to legal requirements.

Ensure that dust/vapour does not accumulate during the cleaning process.

6.4 Reference to other sections

For safe handling and storage, see Section 7. For personal protection equipment, see Section 8. For disposal of waste from clean-up operations, see Section 13.

SECTION 7: Handling and storage

7.1 Conditions for safe storage, including any incompatibilities

7.1.1. Precautions for safe handling

Wear proper protective equipment and avoid contact with skin, eyes, or clothing. Use in well-ventilated place.

Information on protection against fire and explosion: Store at cool, dry place, keep away from heat/cold exposure, sparks and flame. Keep container tightly closed. Avoid direct sunlight, UV rays, and physical effects. Do not smoke. Install ground/bond container and receiving equipment. Do not weld, heat, cut, drill, throw, grind or otherwise make damage on the containers. In case of fire keep containers cool by spraying with water. Keep fire extinguishers and non-combustible absorption material on easily accessible place. Ground and bond container and receiving equipment. Use explosion-proof equipment as well use non-sparking tools. Take action to prevent static discharges.

Information on aerosols and dust prevention: Avoid high vapour / aerosol concentrations in the air. Ensure that the workplace is an adequate air supply – exhaust ventilation. Do not inhale or ingest. Avoid inhalation of vapour or mist.

Environmental precautions: Do not allow enter to drains, surface water, ground water, drainage systems. Avoid release to the environment. Formation and accumulation of wastes and cleaning cloth

SAFETY DATA SHEET

According to Regulation's (EC) No's 1907/2006 (REACH) Article 31 and Annex II including latest Amendments

Aerosol mixture: Adhesive
POLYNOR Fixo



Date of issue: 09 June 2022

Version No.: 1

shall be minimized.

7.1.2. Advice on general occupational hygiene

Do not eat, drink or smoke whilst using this product. Wash hands thoroughly after handling this material. Take off contaminated clothing and wash it before reuse. Provide good personal hygiene after handling. Follow all applicable local regulations for handling and storage (practises of occupational good hygiene).

7.2 Conditions for safe storage, including any incompatibilities

Keep out of reach of children. Store the product in a dry, cool and well-ventilated place. Keep container tightly closed. Containers that are opened must be carefully resealed and kept upright to prevent leakage.

Keep away from heat and sources of ignition. Prevent from air, water, sun or other environmental effects, dust or other various mechanical impurities, physical impact. Keep away from food, drink and animal feed. At the storage should be well-ventilated premises with extraction and supply ventilation systems installed. Recommended storage temperature is +5 - +30 °C. The containers must be sealed and resistant to the effects of the products. Do not expose to temperatures exceeding 50 °C /122 °F.

Storage incompatibilities

It shall not be stored in the same premise with explosive materials; compressed gases, liquefied and dissolved under pressure; easily inflammable liquids and solid substances; organic peroxides and other oxidizing substances; substances exuding the inflammable gases which interact with water; caustic and corrosive substances.

Other information

Avoid of spillage or spreading even a small amount of product. Do not throw of residues in to container to avoid contamination and not be shortened validity of the products. Do not dispose to the landfills or sewers. Is not allowed to weld, heat, cut, drill, throw, grind or otherwise physically act on the containers with the product as well as on the containers without the product.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

Using the PE (protective equipment) must be accompanied by additional measures: operating time (duration of exposure) should reflect the additional physiological stress for the worker's use PE. Furthermore, it is considered that the use of certain PE reduces the employee's ability to use tools and communication for these reasons, the employee should be: healthy (especially in view of medical problems that can affect the PE using) and must ensure im-permeability / tightness between the body and the PE (taking into account factors such as scarring, hair et al).

The employer and self-employed persons are legally responsible for the issuance and management of PE making adequate use in the workplace. Therefore, they should define and documented an appropriate PE use policies, including the employees training.

8.1 Control parameters

8.1.1 Occupational Exposure Limits: Not applicable for the mixture. Available occupational exposure limit values for constituents are provided below:

Substance	Limit value (8 hours) TWA		Limit value (15 min) STEL		Note
	mg/m ³	ppm	mg/m ³	ppm	
Diisocyanates	0,05	0,005	0,1 - 0,2	0,01 - 0,02	EU OEL's
	0,02	-	0,07	-	Australia (HCIS)
	0,02	0,005	0,07	0,02	USA (ACGIH)
Isobutane	1900	800	-	-	USA (NIOSH REL)

SAFETY DATA SHEET

According to Regulation's (EC) No's 1907/2006 (REACH) Article 31 and Annex II including latest Amendments

**Aerosol mixture: Adhesive
POLYNOR Fixo**



Date of issue: 09 June 2022

Version No.: 1

Chloroalkanes C14-C17 (inhalable aerosol)	6	0.3	48	2,4	Germany (AGS), GESTIS
Propane	1800	1000	-	-	USA (NIOSH REL)
Butane	1900	800	-	-	USA (NIOCH REL)
Dimethyl ether	1920	1000	-	-	EU OEL's

8.1.2 Information on currently recommended monitoring procedures

To ensure regular monitoring of the technical parameters according to the technical specifications / instructions provided for the equipment. The qualitative risk assessment and risk management at the workplace may be asked to assess.

Recommended standard at EU level:

EN 689 Workplace exposure - Measurement of Exposure by Inhalation to Chemical Agents

EN 14042 Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents

EN 482 Workplace exposure - General requirements for the performance of procedures for the measurement of chemical agents

Note: approved national monitoring methods should / could be used as well and will take precedence over others difference methods.

8.1.3 Biological Limit Value (BLV): Not applicable for the mixture or constituents of the mixture.

8.1.4 Predicted No Effect Concentration (PNECs) and Derived No-Effect Level (DNELs): Not applicable for the mixture. Constituents with derived DNEL's:

Substance	Workers		General population		
	Inhalation route	Dermal route	Inhalation route	Dermal route	Oral route
Isocyanic acid, polymethylene polyphenylene ester (P-MDI)	N/A	N/A	N/A	N/A	N/A
Tris(1-chloro-2-propyl) phosphate	N/A	DMEL 0,72 mg/kg (systemic, long-term)	N/A	N/A	N/A
Isobutane	N/A	N/A	N/A	N/A	N/A
Chloroalkanes C14-C17	6.7 mg/m ³ (Systemic, long-term)	47.9 mg/kg (systemic, long-term)	2 mg/m ³ (Systemic, long-term)	28.75 mg/kg (systemic, long-term)	0.58 mg/kg (systemic, long-term)
Dimethyl ether	1894 mg/m ³ (Systemic, long-term)	no hazard identified	471 mg/m ³ (Systemic, long-term)	no hazard identified	no hazard identified
Propane	N/A	N/A	N/A	N/A	N/A
Butane	N/A	N/A	N/A	N/A	N/A
2,2'-di morpholinyl diethyl ether	7,28 mg/m ³ (Systemic, long-term)	1 mg/kg (systemic, long-term)	1,8 mg/m ³ (Systemic, long-term)	0,5 mg/kg mg/m ³ (Systemic, long-term)	0,5 mg/kg mg/m ³ (Systemic, long-term)

Constituents with derived PNEC's:

Substance	Fresh water		Marine water		Intermittent releases	STP	Soil
	aqua	sediment	aqua	sediment			
Isocyanic acid, polymethylene polyphenylene ester (P-MDI)	N/A	N/A	N/A	N/A	N/A	N/A	N/A

SAFETY DATA SHEET

According to Regulation's (EC) No's 1907/2006 (REACH) Article 31 and Annex II including latest Amendments

**Aerosol mixture: Adhesive
POLYNOR Fixo**



Date of issue: 09 June 2022

Version No.: 1

Tris(1-chloro-2-propyl) phosphate	0,42 mg/l	0,42 mg/l	2,96 mg/kg	2,96 mg/kg	N/A	N/A	1,33 mg/kg
Isobutane	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Chloroalkanes C14-C17	1 µg/L	13 mg/kg	0.2 µg/L	2.6 mg/kg	N/A	80 mg/l	11.9 mg/kg
Dimethyl ether	0,155 mg/l	0,681 mg/kg	0,016 mg/l	0,069 mg/kg	1,549 mg/l	160 mg/l	0,045 mg/kg
Propane	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Butane	N/A	N/A	N/A	N/A	N/A	N/A	N/A
2,2'-di morpholinyl diethyl ether	0,1 mg/l	0,01 mg/l	8,2 mg/kg	0,82 mg/kg	1 mg/l	100 mg/l	1,58 mg/kg

8.1.5 Qualitative Risk Assessment and Risk Management

Qualitative risk assessment and risk management at the workplace may require individual monitoring of the workplace and / or biological factors in order to assess the adequacy of the risk management measures and the various controlled parameters and / or operational conditions.

8.2 Exposure controls

8.2.1 Appropriate engineering controls

The working time is an open-ended (till 480 minutes/shift, 5 shifts per week). Ensure regular air quality control on the working place. Perform continuous monitoring of parameters according to technical ventilation requirements. Make available eye wash stations and safety showers close to the workstation location. Employ good industrial hygiene practice.

8.2.2 Individual protection measures, such as personal protective equipment

Wear suitable personal protective equipment. When using /work with the product do not eat, drink or smoke. Before breaks and after work wash hands using appropriate tools (soap, etc.). Remove contaminated clothing and protective equipment after work or before breaks. Use certified protection equipment according to EU or equivalent requirements and standards. Ensure sufficiently limited risk using the technical measure as well as collective protection tools, methods or work organization procedures.

Eye protection: the safety glasses or goggles EN166 as a minimum standard is recommended at the work.

Skin protection:

Hand protection: Recommendation handles with gloves. The selected protective gloves material must be resistant to the product effects as well to have to satisfy the specifications of EU Directive 89/686/EEC derived from it (EN374 as minimum standard). If there is risk of mechanical damage please refer to the EN388 standard. If there is thermal exposure refers to the standard EN407. Suitable material for long-term use is butyl (nitrile rubber) - thickness 0.2 – 0.3 mm, breakthrough time > 480 min. Gloves must be inspected prior to use. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Complete suit protecting against chemicals, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Other skin protection: Wear shoes, and long-sleeved clothing (EN 14605). Avoid the substance get in to the shoes. Choose body protection according to the amount and concentration of the dangerous substance at the workplace. Recommend to wear antistatic protective clothing or at least cotton, non-electric clothes.

SAFETY DATA SHEET

According to Regulation's (EC) No's 1907/2006 (REACH) Article 31 and Annex II including latest Amendments

Aerosol mixture: Adhesive
POLYNOR Fixo



Date of issue: 09 June 2022

Version No.: 1

Respiratory protection: in case of insufficient ventilation or if risk assessment shows that air-purifying respirators are appropriate use respiratory protective devices – particle filters (EN 143) or filtering half masks to protect against particles (EN 149). Use respirators and components tested and approved under appropriate government standards such as CEN (EU).

Thermal hazards: The usual precautions for working with the chemical substances.

8.2.3 Environmental exposure controls

Prevent further leakage or spillage if safe to do so. Do not allow to enter drains, sewers or watercourses. Emission from ventilation and/or manufacturing equipment must be tested at least annually to make sure the compliance to the environmental legislation.

Air: The impact on air must be carried in accordance with dust particle emissions calculation methodology and local/regional/national legislation.

Water: The impact on water must be carried in accordance with procedure for the discharge of wastewater and the methods / criteria for determining the inputs into the environment.

Soil: The impact on soil must be carried in accordance with procedure for the discharge of wastewater and the methods / criteria for determining the inputs into the environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	Viscous liquid, aerosol form, yellow
Odour:	Not applicable / No data available
Odour threshold:	Not applicable / No data available
pH:	Not applicable / No data available
Melting/freezing point:	Not applicable / No data available
Initial boiling point and boiling range:	Not applicable / No data available
Flash point:	>65 °C
Evaporation rate:	Not applicable / No data available
Flammability (solid, gas):	Extremely flammable aerosol
Upper/lower flammability or explosive limits:	Not applicable / No data available
Vapour pressure at 25 °C:	Not applicable / No data available
Vapour density:	Not applicable / No data available
Density:	Not applicable / No data available
Solubility (water):	Not applicable / No data available
Partition coefficient (n-octanol/water):	Not applicable / No data available
Auto-ignition temperature:	>240 °C
Decomposition temperature:	No data available
Viscosity:	No data available
Explosive properties:	Not explosive
Oxidising properties:	Not applicable

9.2 Other information

Base	Polyurethane
Hardening	Polymerization under air humidity
Density	35-36 kg/m ³

SAFETY DATA SHEET

According to Regulation's (EC) No's 1907/2006 (REACH) Article 31 and Annex II including latest Amendments

Aerosol mixture: Adhesive
POLYNOR Fixo



Date of issue: 09 June 2022

Version No.: 1

Surface setting time, formation	7 min - 30mm bead
Cutting time	28 min - 30mm bead
Curing time	24 val.
Shear force (standard TR 46:2014)	7.1 N/cm ²
Shear modulus (standard TR 46:2014)	21.3 N/cm ²
Secondary distension	3.7 %
Adhesion EPS with concrete	0,093 MPa
Adhesion XPS with concrete	0,101 MPa
Adhesion EPS with wood	0,087 MPa
Adhesion XPS with wood	0,065 MPa
Adhesion PIR ATX with concrete	0,047 MPa
Adhesion PIR AL with concrete	0,089 MPa
Thermal conductivity	0,034 W/(m*k)
Sound attenuation index Rst, w	60 dB
Temperature resistance	(- 60 °C ...+ 110 °C)
Yield (20°C/65% relative humidity)	till 12 m ²

9.2.1 Information with regard to physical hazard classes: Based on its physical chemical properties, substance classified as Extremely flammable aerosol in category 1 according to the criteria set out in Regulation No. 1272/2008/EC (CLP). Aerosols, this means aerosol dispensers, are any non-refillable receptacles made of metal, glass or plastics and containing a gas compressed, liquefied or dissolved under pressure, with or without a liquid, paste or powder, and fitted with a release device allowing the contents to be ejected as solid or liquid particles in suspension in a gas, as a foam, paste or powder or in a liquid state or in a gaseous state.

9.2.2 Other safety characteristics: Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity: No decomposition processes or exothermic reactions occur if the substance is used according to the intended purpose and conditions.

10.2 Chemical stability: Stable under normal storage/handling conditions

10.3 Possibility of hazardous reactions: not occur under normal storage/handling conditions.

10.4 Conditions to avoid: Keep away from heat / sparks / open flames / hot surfaces, avoid contamination with combustible materials, alkalis, strong acids, oxidizers, do not freeze. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Do not store at > 30 °C.

10.5 Incompatible materials: explosive, oxidising agents, flammable material, strong acids / bases, acid chlorides, acid anhydrides, alcohol, amines.

10.6 Hazardous decomposition products: product of combustion.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity: Mixture according to the criteria of CLP regulation (Annex I, part 3.1.) does not classified as acute toxic / harmful by oral, dermal and/or inhales. Based on available data, the classification criteria are not met. Non-classification is based on constituents and them concentration approach with respect to toxicity value and /or converted acute toxicity point estimate (ATE).

SAFETY DATA SHEET

According to Regulation's (EC) No's 1907/2006 (REACH) Article 31 and Annex II including latest Amendments

Aerosol mixture: Adhesive
POLYNOR Fixo



Date of issue: 09 June 2022

Version No.: 1

Isocyanic acid, polymethylenepolyphenylene ester (P-MDI)	LC50 (inhale, vapours) >10 - < 20 mg/kg (ATE 11)
Tris(1-chloro-2-propyl) phosphate	LD50 (oral) >300 - < 2000 mg/kg (ATE 500)

ATE_{mix} (oral) = >5000 mg/kg

ATE_{mix} (dermal) = >5000 mg/kg

ATE_{mix} (inhale) = >22 mg/kg

Skin corrosion/irritation: Mixture according to the criteria of CLP regulation (Annex I, part 3.2.) does classify as irritant to skin. Based on available data, the classification criteria are met. Classification is based on constituents and their concentration approach with respect to generic and/or specific concentration limits.

Serious eye damage/ irritation: Mixture according to the criteria of CLP regulation (Annex I, part 3.3.) does classify as serious eye irritation. Based on available data, the classification criteria are met. Classification is based on constituents and their concentration approach with respect to generic and/or specific concentration limits.

Skin sensitization: Mixture according to the criteria of CLP regulation (Annex I, part 3.4.) does classify as skin sensitizer. Based on available data, the classification criteria are met. Classification is based on constituents and their concentration approach with respect to generic and/or specific concentration limits.

Respiratory sensitization: Mixture according to the criteria of CLP regulation (Annex I, part 3.4.) does classify as respiratory sensitizer. Based on available data, the classification criteria are met. Classification is based on constituents and their concentration approach with respect to generic and/or specific concentration limits.

Mutagenicity: Mixture according to the criteria of CLP regulation (Annex I, part 3.5.) does not classify as mutagenic. Based on available data, the classification criteria are not met. Non-classification is based on constituents and their concentration approach with respect to generic and/or specific concentration limits.

Carcinogenicity: Mixture according to the criteria of CLP regulation (Annex I, part 3.6.) does classify as carcinogenic, suspected of causing cancer. Based on available data, the classification criteria are met. Classification is based on constituents and their concentration approach with respect to generic and/or specific concentration limits.

Reproductive toxicity: Mixture according to the criteria of CLP regulation (Annex I, part 3.7.) does classify as reproductive toxic, effects on or via lactation, may cause harm to breast-fed children. Based on available data, the classification criteria are met. Classification is based on constituents and their concentration approach with respect to generic and/or specific concentration limits.

STOT SE: Mixture according to the criteria of CLP regulation (Annex I, part 3.8.) does classified as specific target organ toxic after single exposure, may cause respiratory irritation. Based on available data, the classification criteria are met. Classification is based on constituents and their concentration approach with respect to generic and/or specific concentration limits.

SAFETY DATA SHEET

According to Regulation's (EC) No's 1907/2006 (REACH) Article 31 and Annex II including latest Amendments

Aerosol mixture: Adhesive
POLYNOR Fixo



Date of issue: 09 June 2022

Version No.: 1

STOT RE: Mixture according to the criteria of CLP regulation (Annex I, part 3.8.) does classified as specific target organ toxic after repeated exposure, may cause damage to organs through prolonged or repeated exposure. Based on available data, the classification criteria are met. Classification is based on constituents and them concentration approach with respect to generic and/or specific concentration limits.

Aspiration toxicity: Mixture according to the criteria of CLP regulation (Annex I, part 3.10.) does not classify as hazard for aspiration toxicity. Based on available data, the classification criteria are not met. Non-classification is based on constituents and them concentration approach with respect to available information on viscosity and form of product (aerosol).

11.2 Other information:

Symptoms related to the physical, chemical and toxicological characteristics and delayed and immediate effects as well as chronic effects from short and long-term exposure: short-term exposure with the skin may cause slight skin irritation, redness and rash. Long-term exposure or repeated exposure may cause skin dryness or cracking, severe irritation. Effects on the eyes may induce high pain, corneal / retinal irritation, eyeball slight damage. Acute / chronic toxicity may occur as irritation, spasms in the throat, mouth, stomach, respiratory tract. As well high blood pressure may occur. At prolonged exposure may cause damage to organs such as lungs, liver, kidney as well may cause respiratory irritation and suspect of causing cancer. May cause harm to breast-fed children, reproductive toxicity, effects on or via lactation. At exceptional case acute exposure may occur as convulsion, arrhythmia, disrupting of coordination, losses of consciousness.

Endocrine disruptor's properties: not applicable.

The product does not contain any substance listed in accordance with Article 59 (1) as having endocrine disrupting properties in a concentration equal to or greater than 0,1 % by weight.

The product does not contain any substances identified as having endocrine disrupting properties in accordance with the criteria laid down in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentrations equal to or greater than 0,1 % by weight.

SECTION 12: Ecological information

12.1. Eco toxicity

Aquatic Acute: Mixture according to the criteria of CLP regulation (Annex I, part 4.1.) does classified as Aquatic Acute, very toxic to aquatic life. Based on available data, the classification criteria are met.

Aquatic Chronic: Mixture according to the criteria of CLP regulation (Annex I, part 4.1.) does classified as Aquatic Chronic, very toxic to aquatic life with long lasting effects. Based on available data, the classification criteria are met.

There are no data on the mixture itself and there are data gap on acute / chronic toxicity data for all constituents to all trophic levels. Therefore, overall conclusion on classification of mixture for aquatic toxicity is based on available data of constituents and them concentration approach with respect to derived M-factors.

12.2. Persistence and degradability

As ready biodegradation tests for the mixture are not applicable overall degradation is based on degradability of constituents. Available data indicate that major of constituents of the mixture demonstrated to be not readily biodegradable. In addition, constituent, Alkane C14-17, chloro is confirmed as persistent / very persistent substance.

SAFETY DATA SHEET

According to Regulation's (EC) No's 1907/2006 (REACH) Article 31 and Annex II including latest Amendments

Aerosol mixture: Adhesive
POLYNOR Fixo



Date of issue: 09 June 2022

Version No.: 1

12.3. Bioaccumulative potential

As bioaccumulation tests for the mixture are not applicable bioaccumulation potential is based on available BCF and/or log Kow of constituents. Major of constituents have log Kow <4 and / or BCF < 500, however, constituent Alkane, C14-17, chloro is confirmed as bioaccumulative / very bioaccumulative substance.

12.4. Mobility in soil

No further relevant information on the substance is available. Mobility in the soil much depends on various conditions including but not limited to soil type, humidity, temperature and other relevant environment conditions.

12.5. Results of PBT and vPvB assessment

Constituent of the mixture Alkane C14-17, chloro fulfils PBT / vPvB criteria in accordance with Annexe XIII of the REACH regulations EC 1907/2006 and is included in SVHC list according to 59 Article of the REACH regulation.

12.6. Endocrine disruptor information

The constituents of the mixture does not contain any known or suspected endocrine disruptors.

12.7. Other adverse effects

No adverse effects or critical hazards know, however, product should be used with all precautions in order to avoid any adverse effects for environment surrounding.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendations: Not allows dispose into drainage systems or into the environment. As well do not dispose on household waste. Waste should not be disposed of by release to sewers. Disposal shall be in accordance with EU / national regulations. Combustible material may be burned in a chemical incinerator equipped with afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to a dispose of this material.

Properties of waste which render it hazardous (HP codes): HP3 (Flammable), HP4 (Irritant), HP5 (Specific toxic), HP6 (Acute toxic), HP7 (Carcinogenic), HP13 (Sensitizing), HP14 (Ecotoxic).

Waste code: final decision on the appropriate waste management method, in line with regional, national and European legislation, and possible adaptation to local conditions, remains the responsibility of the waste treatment operator.

Contaminated packaging: EWC (European waste catalogue) code: 15 01 10* - packaging containing residues of or contaminated by hazardous substances.

Completely empty container and disposed according the local, national and European waste management.

Warning: Do not weld, heat, cut, drill, throw, grind or otherwise physically or thermically act on the empty containers / package.

SECTION 14: Transport information

For the product does apply requirements and classification of transport of dangerous goods

SAFETY DATA SHEET

According to Regulation's (EC) No's 1907/2006 (REACH) Article 31 and Annex II including latest Amendments

Aerosol mixture: Adhesive
POLYNOR Fixo



Date of issue: 09 June 2022

Version No.: 1

		ADR / RID
14.1.	UN number	UN 1950
14.2.	UN proper shipping name	AEROSOLS, flammable
14.3.	UN Transport hazards class (-es)	2
14.4.	Classification code	5F
14.5.	Packaging group	-
14.6.	Hazardous to Environmental	YEAS
14.7.	Label	2.1, 9
14.8.	Special provisions	190, 327, 344, 625
Maritime transport in bulk according to IMO instruments		Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance / mixture

2006 Regulation of the European Parliament and of the Council (EC) No. 1907/2006 (REACH):

- ✓ SVHC (Candidate List of Substances of Very High Concern):
Alkanes, C14-17, chloro is a member of substances group "Medium-chain chlorinated paraffins (MCCP)". Listed in SVHC list for eventual inclusion in Annex XIV of REACH as PBT (Article 57d) and vPvB (Article 57e) substance. Decision documents No.: D(2021)4569-DC, decision data: 2021-06-23, institution: ECHA. Inclusion data in the SVHC list: 2021-07-08.
- ✓ Authorized substances (REACH Annex XIV) – does not apply yet.
- ✓ Restricted substances (REACH Annex XVII) – Entry No. 74
... "1. Shall not be used as substances on their own, as a constituent in other substances or in mixtures for industrial and professional use(s) after 24 August 2023, unless:
 - (a) the concentration of diisocyanates individually and in combination is less than 0,1 % by weight, or
 - (b) the employer or self-employed ensures that industrial or professional user(s) have successfully completed training on the safe use of diisocyanates prior to the use of the substance(s) or mixture(s).
- 2. Shall not be placed on the market as substances on their own, as a constituent in other substances or in mixtures for industrial and professional use(s) after 24 February 2022, unless:
 - (a) the concentration of diisocyanates individually and in combination is less than 0,1 % by weight, or
 - (b) the supplier ensures that the recipient of the substance(s) or mixture(s) is provided with information on the requirements referred to in point (b) of paragraph 1 and the following statement is placed on the packaging, in a manner that is visibly distinct from the rest of the label information: "As from 24 August 2023 adequate training is required" before industrial or professional use" ...

2008 Regulation of the European Parliament and of the Council (EC) No. 1272/2008 (CLP)

2016 Regulation of the European Parliament and of the Council (EC) No. 2016/425 (Personal Protective Equipment)

2015 Commission Regulation (EU) No. 2020/8 (SDS)

2008 Commission Regulation (EU) No. 440/2008 (Test method)

2008 Directive of the European Parliament and of the Council (EC) No. 2008/98/EB (Waste)

2012 Directive 2012/18/EC (SEVESO)

2004 Directive 2004/37/EB (Carcinogenic / mutagenic)

1998 Directive 98/24/EC (protection of workers from chemical agents at work)

1989 Directive 89/391/EC (Safety and Health at Work)

SAFETY DATA SHEET

According to Regulation's (EC) No's 1907/2006 (REACH) Article 31 and Annex II including latest Amendments

Aerosol mixture: Adhesive
POLYNOR Fixo



Date of issue: 09 June 2022

Version No.: 1

1994 Directive 94/33/EC (protection of young people at work)
2000 Commission decision No. 2000/532/EC (List of Waste)
European Agreement concerning the International Carriage of Dangerous Goods (ADR/RID; ADN/IMDG)
Note: – Respectively the latest version, including all amendment and corrections. The list of legislation is not comprehensive.

15.2 Chemical Safety Assessment

In accordance with Regulation (EC) 1907/2006 (REACH) Article 14 a Chemical Safety Assessment not carried out (not applicable for the mixture).

SECTION 16: Other information

16.1. Indication of changes: First edition: 2022-06-09. Version: No. 1.

16.2. Methods used for classification:

Physical hazards	Physical – chemical properties of the mixture, test data / information itself of the mixture.
Human Health hazards	Based on constituent's calculation methods with regards to concentration
Environmental hazards	thresholds, including ATE, SCLs and M-factors.

16.3. Relevant identified uses of the substance or mixture:

One-component adhesive used for higher strength constructions and can be used as both inelastic and permanently elastic adhesives.

16.4. Abbreviations and acronyms

ACGIH American Conference of Industrial Hygienists
AIHA WELL American Industrial Hygiene Association Workplace Environmental Exposure Levels
ADR/RID European agreement concerning the international carriage of dangerous goods by Road/ Rail.
PPE Personal protective equipment
CAS Chemical Abstracts Service
CLP Regulation of classification, labelling and packaging (EB) No. 1272/2008
DNEL Derived no-effect level
EC50 Term half maximal effective concentration
ED Endocrine disruptor
EPS Expanded Polystyrene core Panel system
ECHA European Chemicals Agency
EINECS European Inventory of Existing Commercial chemical Substances
EWC European Waste Catalogue
XPS Extruded Polystyrene core Panel system
IARC International Agency for Research on Cancer
IATA International Air Transport Association
IMDG International Maritime Dangerous Goods
LC50 Median lethal dose
NIOSH National Institute for Occupational Safety and Health of US
OEL Occupational Exposure Limit
OSHA Occupational Safety and Health Administration
PBT Persistent Bioaccumulative and Toxic substances
PNEC Predicted No Effect Concentration

SAFETY DATA SHEET

According to Regulation's (EC) No's 1907/2006 (REACH) Article 31 and Annex II including latest Amendments

Aerosol mixture: Adhesive
POLYNOR Fixo



Date of issue: 09 June 2022

Version No.: 1

PIR AL Polyisocyanurate core Panel system with aluminium
PIR ATX Polyisocyanurate core Panel system with glass fiber
RE repeated exposure
REACH Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals
REL Recommended exposure limits
SCOEL Scientific Committee on Occupational Exposure Limit
SDS Safety data sheet
SE single exposure
STP Sewage treatment plant
STOT Specific target organ toxicity
TWA Time weighted average
STEL Short-term exposure limit
vPvB Very persistent and very bioaccumulative

16.5. Literature references

Information from manufacture, safety data sheets of constituents, European chemicals agency (ECHA), European Agency for safety and health at work (OSHA), European food safety agency (EFSA), Organisation for economic co-operation and development (OECD), Germany IFA (GESTIS), Swedish Chemicals Agency (Kemi), The International Labour Organization (ILO), TOXNET, etc. databases and public provided data.

16.6. Full list of provided (section 2 and/or 3) hazard statements (H) for danger indications

Flammable gases, 1	H220	Extremely flammable gas
Aerosols, 1	H222	Extremely flammable aerosol
	H229	Pressurised container: May burst if heated
Gases under pressure, Compressed gas	H280	Contains gas under pressure; may explode if heated
Acute Toxicity, (oral), 4	H302	Harmful if swallowed
Skin irritation, 2	H315	Causes skin irritation
Skin sensitisation, 1	H317	May cause an allergic skin reaction
Eye irritation, 2	H319	Causes serious eye irritation
Acute toxicity (inhale), 4	H332	Harmful if inhaled
Respiratory sensitisation, 1	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
Specific target organ toxicity after single exposure	H335	May cause respiratory irritation
Carcinogenicity, 2	H351	Suspected of causing cancer
Reproductive toxicity, additional category for effects on or via lactation	H362	May cause harm to breast-fed children
Specific target organ toxicity after repeated exposure	H373	May cause damage to organs through prolonged or repeated exposure
Aquatic Acute, 1	H400	Very toxic to aquatic life
Aquatic Chronic, 1	H410	Very toxic to aquatic life with long lasting effects

16.7. Information on trainings

Workers/users shall be trained / introduced with the provided relevant hazard / safety information.

SAFETY DATA SHEET

According to Regulation's (EC) No's 1907/2006 (REACH) Article 31 and Annex II including latest Amendments

Aerosol mixture: Adhesive
POLYNOR Fixo



Date of issue: 09 June 2022

Version No.: 1

16.8. Disclaimer

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if has been advised of the possibility of such damages.

This product should be store, handled and used in accordance with good industrial hygienic practices and in conformity with any legal regulation. The above information is based on the present state of our knowledge of the product at the time of publication. The user must satisfy him-self that the product is entirely suitable for his purpose.

Overall note: The product has not been subjected to (eco) toxicological testing as an entity, but has been blended from materials with established (eco) toxicological biographies. In view of the difficulty of using current standard (eco) toxicological evaluation techniques to predict potential hazards to susceptible individuals / environment or arising from unforeseen potentiation, this preparation should be considered and handled as if it displayed health / environment hazards and treated in consequence with all possible precaution.

END OF SAFETY DATA SHEET